

### **REASONS FOR ALLOWANCE**

1. The following is an examiner's statement of reasons for allowance:

The claims are allowable over the prior art of record because no reference was found teaching an electrolyte comprising a nonaqueous solvent and further comprising 0.01-10 wt% of an asymmetric dialkyl oxalate having two different alkyl groups and 0.01-20 wt% of vinylene carbonate and/or 0.01-20wt% of 1,3-propanesultone.

Yamahira teaches on page 3 of the translation, an electrolyte comprising an oxalic acid methylethyl, oxalic acid methylpropyl, oxalic acid ethylpropyl, etc. Yamahira does not teach that the electrolyte also comprises vinylene carbonate and/or 1,3-propanesultone.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to /Laura S. Weiner/ whose telephone number is 571-272-1294. The examiner can normally be reached on M-F (6:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1795

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Laura S Weiner/  
Primary Examiner  
Art Unit 1795

April 15, 2010